

REME D8[®]

AG-WSP PLUS

MICROBIAL SOIL INOCULANT



Multi-year data from over 28 replications across 4 states showed a
+11.3 bu./ac. increase in corn
+3.0 bu./ac. increase in soybean

About RemeD8[®] AG-WSP PLUS

The microorganisms contained in **RemeD8[®] AG WSP PLUS** has been shown to increase nutrient availability, enhance nutrient cycling, as well as improve soil structure and support root development.

RemeD8[®] AG-WSP PLUS Microbes are

Durable and Sustainable:

All are spore formers, which can survive adverse conditions such as heat, cold, low/high pH, etc.

Rhizosphere Competent:

All were sourced from the soil, so they can thrive in soil.

Quality Assured:

All are professionally fermented, identified through DNA analysis and backed by Certificate of Analyses documenting cfu/gram counts.

Prolific Enzyme Producers:

Together, they produce a wide range of beneficial enzymes and bio-active compounds that offer plant health benefits.

What to Expect

- A more vigorous soil ecosystem.
- Higher Cation Exchange Capacity (C.E.C.).
- Enhanced root development, germination rates and stress tolerance.
- Faster nitrification process for better uptake of nitrogen.
- Nitrogen fixation to supplement applied nitrogen.
- Enhanced stress tolerance.
- Quicker recovery from pathogen attack.
- Prevention of excessive hydrophobic organic matter.

ACTIVE INGREDIENTS

5.3 X 10⁹ cfu *Bacillus amyloliquefaciens* per gram
2.4 X 10⁹ cfu *Bacillus licheniformis* per gram
1.1 X 10⁹ cfu *Bacillus megaterium* per gram
4.5 X 10⁹ cfu *Bacillus subtilis* per gram
1.0 X 10⁷ cfu *Trichoderma atoviride* per gram

Inactive Ingredients: Sucrose based culture medium



RemeD8[®] AG WSP PLUS contains the addition of ***Trichoderma***, which is shown to increase phosphate solubilization, improve break down of thatch/cellulose and more.

Application Instructions

Soil and Foliar Applications:

Add 0.15 to 1.0 ounces per gallon of spray solution to a clean spray tank. Agitate solution and maintain agitation during application. Apply at planting and every 2-4 weeks during the growing season.

In the Field



Left: n-tro PLUS

Right: n-tro PLUS and RemeD8[®] AG WSP PLUS